

Gamma completa di adesivi strutturali a base epossidica e metacrilato, ciano acrilati , anaerobici e siliconi

Kisling

METHACRYLATES RANGE	
ERGO 1320	BLACK, fast (2-3 minutes open time, 5-6 minutes setting time)
ERGO 1665	BLUE, low odor, fast (3-6 minutes open time, 8-13 minutes setting time)
ERGO 1675	BLUE, ODORLESS fast (2-3 minutes open time, 5-7 minutes setting time)
ERGO 1680	BLUE, low odor, elastic 85%, slow (8-13 minutes open time)
ERGO 1910	Low odor, fast 1-3 minutes of open time, 10 minutes of setting) rigid , resistant to 180 ° C - Medium Viscous

EPOXY RANGE	
ERGO 7410	fast (3 minutes open time, 7 minutes setting time) also available in BLACK
ERGO 7420	slow (100 minutes open time 7 h setting time) high mechanical resistance
ERGO 7430	thixotropic, slow (40-50 minutes open time, 4 hours setting time) high mechanical strength
ERGO 7440	BLACK slow (40-60 minutes of open time, 3.5 hours of setting) High resistance to temperature up to 180 ° C (peaks up to 210 ° C) thixotropic – low shrinkage in temperature
ERGO 7490	BLACK , slow (90 minutes open time, 4 h setting time) Thixotropic - ideal for applications on large pieces - excellent for gluing workable epoxy resin boards.

Cyan Acrylates for all fast and super resistant applications, for plastics, metals, composites - rigid, elastic bonding - BLACK
Thread locker for all needs



Kisling

